Att'y Dkt. No.: US-108

IN THE CLAIMS:

Kindly rewrite Claims 1-10 as follows and add new claims 11-12, in accordance with 37 C.F.R. § 1.121:

U.S. App. No: 10.772,272

Att'y Dkt. No.: US-108

1. (Currently amended) An isolated inosine-producing Bacillus bacterium which has which is modified so that growth inhibition by 6-ethoxypurine is reduced growth inhibition by 6-ethoxypurine as compared to Bacillus 168 Marburg strainand has inosine-producing ability and wherein said bacterium is deficient in a gene selected from the group consisting of the purR gene, the purA gene, the deoD gene, and combinations thereof.

- 2. (Canceled).
- 3. (Currently amended) The *Bacillus* bacterium according to claim 2<u>1</u>, wherein the medium-said reduced growth inhibition occurs in the presence of has an ethoxypurine content of 2000 mg/L ethoxypurine.
- 4. (Currently amended) The *Bacillus* bacterium according to claim 1, wherein the medium issaid reduced growth inhibition occurs on a solid medium.
- 5. (Currently amended) The *Bacillus* bacterium according to claim 1, wherein when the bacterium is cultured by applying a suspension of the bacterium toon a solid medium containing 6-ethoxypurine and a solid medium not containing 6-ethoxypurine, the bacterium shows a relative growth degree of 80 or more, which is defined by the following equation:

Relative growth degree (%) = [colony diameter (mm) observed in the medium containing 6-ethoxypurine]/[colony diameter (mm) observed in the medium not containing 6-ethoxypurine] \times 100.

- 6. (Currently amended) The *Bacillus* bacterium according to claim 5, wherein the solid medium containing 6-ethoxypurine has a comprises 2000 mg/L of 6-ethoxypurine content of 2000 mg/L.
- 7. (Original) The *Bacillus* bacterium according to claim 6, wherein the solid medium is a minimal medium.
 - 8. (Canceled).
 - 9. (Withdrawn) A method for producing a *Bacillus* bacterium having

3

Att'y Dkt. No.: US-108 U.S. App. No: <u>10.772,272</u>

improved inosine-producing ability, which comprises selecting strains showing favorable growth in a medium containing 6-ethoxypurine from a population of *Bacillus* bacteria, and selecting a strain showing high inosine-producing ability from the obtained strains.

- 10. (Withdrawn) The method according to claim 9, wherein the population of *Bacillus* bacteria is obtained by subjecting a parent strain belonging to the genus *Bacillus* to a mutagenesis treatment.
- 11. (New) A method for producing inosine, comprising culturing the *Bacillus* bacterium according to claim 1 to a medium to accumulate inosine in the medium and collecting inosine from the medium.
- 12. (New) A method for producing 5'-inosinic acid, comprising culturing the *Bacillus* bacterium according to claim 1 in a medium to accumulate inosine in the medium, adding purine nucleoside phosphorylase, phosphoribosyltransferase, or a combination thereof to the medium containing inosine, and collecting 5'-inosinic acid.